=> IFW: Scan as Doc Code: SRNT <= Doc Date: 3/29/06

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

**Serial Number: 10/629574** 

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search
Printout shows Inventor search terms



## PALM INTRANET

Day: Thursday Date: 3/30/2006 Time: 11:11:27

## **Inventor Information for 10/629574**

Inventor Name	City	State/Country
CHEN, JIUNN-LIANG	TAIPEI CITY	TAIWAN
LEE, SHENG-YANG	TAIPEI CITY	TAIWAN
HUANG, HAO-MING	TAIPEI CITY	TAIWAN
CHENG, KUANG-YU	SINDIAN CITY	TAIWAN
Appln Info Contents Petition Info	Atty/Agent Info Conti	nuity Data Foreign Data Invento
		Search

Search Another: Application#	earch or Patent# Search
PCT / Searc	or PG PUBS # Search
Attorney Docket #	Search
Bar Code #	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

US 20060068814 A1	US- PGPUB	20060330	8	Wireless data communication method	455/466	455/412.2	Cheng; Kuang- Ting et al.
US 20060062414 A1	US- PGPUB	20060323		Loudspeaker rotary mechanism attached to a display	381/333	381/306; 381/388	Yeh; Chih-Wei et al.
US 20060061340 A1	US- PGPUB	20060323		Temperature compensation device and method for a voltage regulator	323/267		Wang; Hung-I et al.
US 20060057764 A1	US- PGPUB	20060316		IMAGE SENSOR AND FABRICATING METHOD THEREOF	438/70	438/57; 438/64; 438/65; 438/66; 438/73	Pan; Jui- Hsiang et al.
US 20060055523 A1	US- PGPUB	20060316		Method for locating tire condition sensing apparatuses	340/445	340/686.1	Huang; Hao-Chin
US 20060049815 A1	US- PGPUB	20060309		Current feed-through adaptive voltage position control for a voltage regulator	323/282	·	Ho; Hsin- Hsin et al.
US 20060047370 A1	US- PGPUB	20060302		Efficient look-ahead load margin and voltage profiles contingency analysis using a tangent vector index method	700/292	703/18	Chu; Chia-Chi et al.
US 20060034156 A1	US- PGPUB	20060216		Method for tracking use of electronic apparatus	368/10		Chen; Jiun- Shiung
US 20060018648 A1	US- PGPUB	20060126		Image capturing device	396/84	·	Lu; Jih- Yung et al.
US 20050287494 A1	US- PGPUB	20051229		Gingival retraction material	433/136		Yang, Jen- Chang et al.
US 20050285118 A1	US- PGPUB	20051229		Switching circuit using multiple common-drain JFETs for good heat dissipation capability and small PCB layout area	257/77		Tai, Liang-Pin et al.
US 20050280073 A1	US- PGPUB	20051222		System and method of forming a split-gate flash memory structure	257/315	257/317; 438/211; 438/260	Huang, Shieh - Feng et al.
US 20050278907 A1	US- PGPUB	20051222		Carabiner	24/599.1		DiMarchi, Silvio Joseph et al.

. . . . . .

US	US-	20051208	Charging device for	320/115		Lin,
20050269987 A1	PGPUB		mobile phone			Cheng- Kuang
US 20050258919 A1	US- PGPUB	20051124	Skew-symmetrical defected ground structure for parallel-coupled line filters	333/204		Lee, Sheng- Yuan
US 20050254509 A1	US- PGPUB	20051117	METHOD OF FRAME SYNCHRONIZATION WHEN SCALING VIDEO AND VIDEO SCALING APPARATUS THEREOF	370/429		Smith, Sterling et al.
US 20050253567 A1	US- PGPUB	20051117	High-efficiency two- step DC-to-DC converter	323/282		Tai, Liang-Pin et al.
US 20050251776 A1	US- PGPUB	20051110	INTEGRATED CIRCUIT DESIGN SYSTEM	716/11	716/6	Hsin, Chien- Jung et al.
US 20050248596 A1	US- PGPUB	20051110	Apparatus and method for increasing pixel resolution of image using coherent sampling	345/698		Smith, Sterling et al.
US 20050243208 A1	US- PGPUB	20051103	Television set	348/553	348/554	Huang, Hao- Chang
US 20050219926 A1	US- PGPUB	20051006	Real current sense apparatus for a DC-to- DC converter	365/207		Tai, Liang-Pin et al.
US 20050212808 A1	US- PGPUB	20050929	MANAGEMENT METHOD AND DISPLAY METHOD OF ON-SCREEN DISPLAY THEREOF AND RELATED DISPLAY CONTROLLING DEVICE	345/531		LIN, HUNG- YI et al.
US 20050208288 A1	US- PGPUB	20050922	Belts and roll coverings having a nanocomposite coating	428/304.4	428/317.9; 428/323	Li, Cheng- Kuang et al.
US 20050205994 A1	US- PGPUB	20050922	Signal transmitting device with vias and solder balls	257/738		Lee, Sheng- Yuan
US 20050196687 A1	US- PGPUB	20050908	Mask layout and exposing method for reducing diffraction effects by using a single mask in the	430/5	430/394; 716/19; 716/21	Huang, Hao-Min et al.

		·	process of semiconductor production			
US 20050195563 A1	US- PGPUB	20050908	Mounting device for hard disk drives	361/685	361/683	Chung, Cheng- Kuang
US 20050190290 A1	US- PGPUB	20050901	Camera module	348/374	250/208.1	Sun, Cheng- Kuang et al.
US 20050189624 A1	US- PGPUB	20050901	Chip on photosensitive device package structure and electrical connection thereof	257/666		Sun, Cheng- Kuang et al.
US 20050186722 A1	PGPUB	20050825	Method and structure for CMOS device with stress relaxed by ion implantation of carbon or oxygen containing ions	. 438/199	257/369; 257/374; 438/207	Cheng, Kuan-Lun et al.
US 20050185370 A1	US- PGPUB	20050825	Computer case	361/683	312/223.2; 361/685	Chung, Cheng- Kuang
US 20050183100 A1	US- PGPUB	20050818	Computer case	720/600		Chung, Cheng- Kuang
US 20050179978 A1	US- PGPUB	20050818	Image display apparatus	359/237		Lee, Cheng- Kuang et al.
US 20050179028 A1	US- PGPUB	20050818	Construction of thin strain-relaxed SiGe layers and method for fabricating the same	257/19	257/E29.085	Chen, Pang- Shiu et al.
US 20050178583 A1	US- PGPUB	20050818	Structure of a circuit board for improving the performance of routing traces	174/255	174/262	Lee, Sheng- Yuan
US 20050178582 A1	US- PGPUB	20050818	Circuit board with mounting pads for reducing parasitic effect	174/250	174/260	Lee, Sheng- Yuan et al.
US 20050173784 A1	US- PGPUB	20050811	Stacked semiconductor device having mask mounted in between stacked dies	257/678		Bai, Jin- Chung et al.
US 20050169025 A1	US- PGPUB	20050804	Aircraft AC-DC converter	363/128		Huang, Hao et al.
US 20050168067 A1	US- PGPUB	20050804	Dynamic adaptive damping attenuant mechanism and energy	303/152		Hsu, Yen- Weay et al.

*.* · ·

			recycling system on braking			
US 20050167810 A1	US- PGPUB	20050804	Stacked semiconductor device	257/686		Bai, Jin- Chung et al.
US 20050161815 A1	US- PGPUB	20050728	Package of a semiconductor device with a flexible wiring substrate and method for the same	257/738	438/108	Sun, Joseph et al.
US 20050161756 A1	US- PGPUB	20050728	Package of a semiconductor device with a flexible wiring substrate and method for the same	257/433	438/64	Sun, Joseph et al.
US 20050157370 A1	US- PGPUB	20050721	Deformable mirror device (DMD) spatial light modulator (SLM) with dual counter-opposed deflection electrodes	359/290		Chen, Jiun-Nan
US 20050149923 A1	US- PGPUB	20050707	System update protocol	717/172		Lee, Sheng
US 20050146391 A1	US- PGPUB	20050707	Signal path design for modulating impedance	333/34	·	Lee, Sheng- Yuan
US 20050141053 A1	US- PGPUB	20050630	Controlling apparatus and method for image scanning system	358/475		Chang, Hui- Huang et al.
US 20050140347 A1	US- PGPUB	20050630	Time-sharing current sense circuit for a multi-phase converter	323/282		Chen, Jiun- Chiang et al.
US 20050128955 A1	US- PGPUB	20050616	Transmission system for network with communication quality indicating capability and the method of the same	370/252		Chang, Su-Yuan et al.
US 20050121752 A1	US- PGPUB	20050609	Chip package and electrical connection structure between chip and substrate	257/666	257/E23.043; 257/E23.046; 257/E23.124	Lee, Sheng- Yuan
US 20050117051 A1	US- PGPUB	20050602	Camera module and method for packaging the same	348/374	250/208.1	Cheng, Kuang- Chih et al.
US 20050110082 A1	US- PGPUB	20050526	Semiconductor device having high drive current and method of manufacture therefor	257/341	257/E21.634; 257/E21.636	Cheng, Shui- Ming et al.

.

•

.

US 20050104692 A1	US- PGPUB	20050519	Signal transmission structure	333/238	333/246	Lee, Sheng- Yuan
US 20050100314 A1	US- PGPUB	20050512	Method of recording and reproducing video and audio stream	386/46	386/95	Huang, Ching- Ying et al.
US 20050098262 A1	US- PGPUB	20050512	Method of laminating copper foil onto a printed circuit board	156/307.5	156/307.7	Lin, Chia- Pin et al.
US 20050095739 A1	US- PGPUB	20050505	Process for manufacturing semiconductor device	438/27		Sun, Cheng- Kuang et al.
US 20050089424 A1	US- PGPUB	20050428	Multi-stage vacuum pump	417/445	417/244; 417/410.3	Liu, Ming- Hsin et al.
US 20050082645 A1	US- PGPUB	20050421	Chip package and electrical connection structure between chip and substrate	257/666		Lee, Sheng- Yuan et al.
US 20050074916 A1	US- PGPUB	20050407	Process for manufacturing semiconductor device	438/60		Sun, Cheng- Kuang et al.
US 20050073055 A1	US- PGPUB	20050407	[QUAD FLAT NO- LEAD PACKAGE STRUCTURE AND MANUFACTURING METHOD THEREOF]	257/778	257/685; 257/700; 257/E23.067; 438/108	Pan, Jui- Hsiang et al.
US 20050071493 A1	US- PGPUB	20050331	SNMP packet filtering for printing devices	709/232		Lee, Sheng
US 20050059068 A1	US- PGPUB	20050317	Compositions and methods using dendrimer-treated microassays	435/6	435/287.2; 435/7.1	Huang, Haoqiang et al.
US 20050055122 A1	US- PGPUB	20050310	Overlay registration control system and method employing multiple pilot lot inline overlay registration measurement	700/121	700/108; 716/21	Lin, To- Nien et al.
US 20050051425 A1	US- PGPUB	20050310	Electroplating apparatus with functions of voltage detection and flow rectification	204/275.1	·	Wang, Chih- Cheng et al.
US 20050045870 A1	US- PGPUB	20050303	Strained silicon forming method with reduction of threading dislocation density	257/19	•	Chen, Pang Shiu et al.

. .

. .

US 20050036216 A1	US- PGPUB	20050217	Image display apparatus	359/738	·	Lee, Cheng- Kuang
US 20050026113 A1	US- PGPUB	20050203	Micro-implantable apparatus and method for the stability assessment of a two- stage dental implant	433/173		Chen, Jiunn- Liang et al.
US 20050023998 A1	US- PGPUB	20050203	Circuit structure for driving a plurality of cold cathode fluorescent lamps	315/312	315/224; 315/244; 315/291; 315/324	Lee, Sheng Tai
US 20050017352 A1	US- PGPUB	20050127	Structure of multi-tier wire bonding for high frequency integrated circuit	257/728	257/E21.512	Lee, Sheng- Yuan
US 20050003371 A1	US- PGPUB	20050106	Modified nucleotides and methods of labeling nucleic acids	435/6	536/25.32	Anderson, Jack D. et al.
US 20040266071 A1	US- PGPUB	20041230	Method for forming pi- type assistant electrode	438/149	438/608; 438/609	Huang, Wen- Rung et al.
US 20040248426 A1	US- PGPUB	20041209	Edge peeling improvement of low-k dielectric materials stack by adjusting EBR resistance	438/778	257/E21.244; 257/E21.246; 257/E21.252	Chou, Tzu-Jen et al.
US 20040240878 A1	US- PGPUB	20041202	CAMERA USING A LIGHT GUN TO PROVIDE A PHOTOGRAPHIC POSITION	396/431		Tseng, Cheng- Kuang
US 20040226918 A1	US- PGPUB	20041118	Polymeric particle slurry system and method for improved planarity	216/89	257/E21.304	Lee, Shen-Nan et al.
US 20040221542 A1	US- PGPUB	20041111	Wooden post assembly with a joint	52/726.3		Chen, Yuan- Chuan et al.
US 20040214442 A1	US- PGPUB	20041028	Method to reduce dishing and erosion in a CMP process	438/692	257/E21.583; 438/633; 438/636; 438/687	Lee, Shen-Nan et al.
US 20040213191 A1	US- PGPUB	20041028	Method for transmitting frames in WLAN	370/338	370/349	Lee, Sheng- Chun
US 20040212868 A1	US- PGPUB	20041028	Trench-embeded mirror structure for double substrate spatial light modulator	359/291		Chen, Jiun Nan et al.

US 20040209052 A1	US- PGPUB	20041021	Security articles	428/195.1	·	Tam, Thomas Y-T. et al.
US 20040207769 A1	US- PGPUB	20041021	Projection display device	349/5		Lin, Ming- Kuen et al.
US 20040184360 A1	US- PGPUB	20040923	Apparatus and method for controlling a disc player	369/1		Chen, Tsu- Hsing et al.
US 20040174227 A1	US- PGPUB	20040909	Signal path design for modulating impedance	333/34		Lee, Sheng- Yuan
US 20040165155 A1	US- PGPUB	20040826	LIGHT SOURCE OF A PROJECTOR	353/81		Lee, Cheng- Kuang et al.
US 20040161071 A1	US- PGPUB	20040819	Clock recovery circuit	375/376		Chen, Jiu- Cheng et al.
US 20040152390 A1	US- PGPUB	20040805	Organic electro- luminescent display and method of sealing the same	445/24		Chung, Chia-Tin et al.
US 20040145315 A1	US- PGPUB	20040729	Discharge electrode structure of plasma display panel	313/584		Lin, Chun-Hsu et al.
US 20040096803 A1	US- PGPUB	20040520	Apparatus for detecting the stability of a tooth in the gum or an implant in the body	433/150		Huang, Haw- Ming et al.
US 20040096197 A1	US- PGPUB	20040520	Method and apparatus for recording digital image data to optical disks	386/111	386/126	Teng, Chih-Wei et al.
US 20040095733 A1	US- PGPUB	20040520	Board-locking fastener for fastening a motherboard on a housing of a computer	361/759		Cheng, Kuang-Jui et al.
US 20040087122 A1	US- PGPUB	20040506	Adhesion enhancement between CVD dielectric and spin-on low-k silicate films	438/584	257/E21.26; 257/E21.269; 257/E21.277; 257/E21.279; 257/E21.293	Li, Lain- Jong et al.
US 20040076889 A1	US- PGPUB	20040422	Mask layout and exposing method for reducing diffraction effects by using a single mask in the process of semiconductor	430/5	430/22; 430/311; 430/396	Huang, Hao-Min et al.

			production			
US 20040036247 A1	US- PGPUB	20040226	Method of motion transmission and a wheeled vehicle driven by this method	280/221		Lee, Sheng- Hung
US 20040025353 A1	US- PGPUB	20040212	Multifuctional knife device	30/142	30/342	Chen, Jiunn- Liang
US 20040024337 A1	US- PGPUB	20040205	Orthopedic casting material and the method of making the same	602/6		Tseng, How et al.
US 20040018426 A1	US- PGPUB	20040129 .	Terminal and battery containing said terminal	429/178	429/177	Chieh, Bobby et al.
US 20040010924 A1	US- PGPUB	20040122	Foldable scissors	30/255	30/143; 30/151	Hung, Shen-Chi et al.
US 20040007976 A1	US- PGPUB	20040115	High efficiency electrode structure for plasma display panel	313/582		Kao, Hsu- Pin et al.
US 20040007975 A1	US- PGPUB	20040115	Barrier rib structure for plasma display panel	313/582		Kao, Hsu- Pin et al.
US 20040000879 A1	US- PGPUB	20040101	Circuit structure for driving a plurality of cold cathode fluorescent lamps	315/291	315/209CD; 315/219; 315/276; 315/312	Lee, Sheng Tai
US 20040000392 A1	US- PGPUB	20040101	Radiator device	165/80.3	165/133; 165/185; 257/E23.099; 257/E23.107; 257/E23.112	Chen, Jiunn- Liang et al.
US 20030226139 A1	US- PGPUB	20031204	System update protocol	717/176	713/161; 713/191; 717/171	Lee, Sheng
US 20030226005 A1	US- P.GPUB	20031204	Bootable CD controller with embedded operating system	713/1	·	Wu, Vincent et al.
US 20030211814 A1	US- PGPUB	20031113	Method for achieving uniform CU CMP polishing	451/36	257/E21.304; 451/41	Shih, Tsu et al.
US 20030200702 A1	US- PGPUB	20031030	BIMODAL SLURRY SYSTEM	51/298	106/3; 51/307; 51/308; 51/309	Lee, Shen-Nan et al.
US 20030186120 A1	US- PGPUB	20031002	Terminal post capable of delaying acidification thereof	429/178	429/181	Wang, Pai-Hua et al.
US 20030184678 A1	US- PGPUB	20031002	Display controller provided with dynamic output clock	348/511	348/581; 348/714	Chen, Jiunn- Kuang et

•

.

	<del></del>			,			T 1
US 20030184532 A1	US- PGPUB	20031002		Method and apparatus of automatically tuning outputline rate and display controller provided with the same	345/204		al. Chen, Jiunn- Kuang et al.
US 20030184228 A1	US- PGPUB	20031002	<u> </u>	Barrier rib structure for plasma display panel	313/587		Kao, Hsu- Pin et al.
US 20030178938 A1	US- PGPUB	20030925		Barrier rib structure for plasma display panel	313/582		Kao, Hsu- Pin et al.
US 20030178737 A1	US- PGPUB	20030925		Method and apparatus for shape forming of degradable polymers under the protection of an inactive gas	264/85	264/328.1; 264/572; 425/546	Tseng, How et al.
US 20030125745 A1	US- PGPUB	20030703		Bone-fixing device	606/73		Tseng, How et al.
US 20030111338 A1	US- PGPUB	20030619		Electropolish/grinding means for an inner surface of a long tube	204/224M	204/225; 204/272	Lin, Chun- Hung et al.
US 20030071569 A1	US- PGPUB	20030417		Organic electro- luminescent display and method of sealing the same	313/512		Chung, Chia-Tin et al.
US 20030063310 A1	US- PGPUB	20030403		Method of monitoring multiple controller families	358/1.15	710/15	Nguyen, Truc D. et al.
US 20030015215 A1	US- PGPUB	20030123		Polishing pad conditioner and application thereof	134/1	134/33; 134/34	Hsu, Chia-Lin et al.
US 20030006007 A1	US- PGPUB	20030109		Method of laminating copper foil onto a printed circuit board	156/308.2		Lin, Chia- Pin et al.
US 20020189703 A1	US- PGPUB	20021219		Sizeless yarn, a method of making it and a method of using it	139/420R	264/103; 264/211.14; 264/40.1; 28/271; 428/364; 428/369; 428/399; 73/160	Medeiros, Robert Walter et al.
US 20020175498 A1	US- PGPUB	20021128		Connnecting device for auxiliary member of a baby carrier	280/648	280/47.38	Yang, Cheng- Fan et al.
US 20020174773 A1	US- PGPUB	20021128		Dust Recovery device	96/278	55/455	Cheng, Kuai- Chung
US	US-	20021121		Method of forming a	438/199	257/E21.337;	Tseng,

US	US-	20020704	Planar filter with a	333/204		Tsai,
US 20020088100 A1	US- PGPUB	20020711	Shield assembly for computer enclosure and pressing machine for making it	29/251		Lee, Sheng Ching et al.
US 20020101708 A1	US- PGPUB	20020801	Hard disk drive extracting and fixing device	361/685		Cheng, Kuang Jui
US 20020105513 A1	US- PGPUB	20020808	Method and apparatus for creating and displaying interactive three dimensional computer images	345/419		Chen, Jiunn
US 20020111454 A1	US- PGPUB	20020815	Photosensitive phosphorylated phenol- formaldehyde resin and method for preparing the same	528/129		Cho, Ching- Sheng et al.
US 20020121699 A1	US- PGPUB	20020905	Dual damascene Cu contact plug using selective tungsten deposition	257/758	257/E21.168; 257/E21.579; 257/E21.584	Cheng, Kuan-Lun et al.
US 20020140637 A1	US- PGPUB	20021003	Method for prolonging useful life of plasma panel display by dynamically adjusting input video signal strength	345/60		Kao, Shiuh-Bin et al.
US 20020145390 A1	US- PGPUB	20021010	Discharge cells between barrier walls of alternating current discharge type plasma display panel	315/169.3	315/169.4	Kao, Shiuh-Bin et al.
US 20020160188 A1	US- PGPUB	20021031	Security articles	428/397	428/373; 428/374; 428/399; 428/401; 428/402; 428/690; 428/913	Tam, Thomas Y-T. et al.
US 20020165369 A1	US- PGPUB	20021107	shifting of a gate  Compositions and methods using platinum compounds for nucleic acid labeling	536/17.1	544/225; 548/109; 556/137	et al. Braman, Jeffrey et al.
US 20020168828	US- PGPUB	20021114	Method of reducing threshold voltage	438/303	438/258 257/E21.193; 257/E29.162	Cheng, Kuan-Lun
20020173088 A1	PGPUB		MOS transistor on a semiconductor wafer		257/E21.619; 257/E29.266; 438/234;	Hua-Chou et al.

20020084875	PGPUB		zero-degree feed	<u> </u>		Chih-
A1	TOFUB		structure			Ming et
7,81			Structure			al.
US	US-	20020704	Method for producing	29/527.5		Lee,
20020083571	PGPUB	20020704	metal sputtering target	27/32/.3		Tsang-
A1	TOTOD		metar sputtering target	·		Sheau et
Ai						al.
US	US-	20020228	Optical recording	369/275.2	369/275.3	Chen, Yi-
20020024922	PGPUB	20020220	medium and method	303/2/3.2	303/273.3	Ming et
A1	TOTOD		for fabricating the same			al.
US 7009287	USPAT	20060307	Chip on photosensitive	257/686	257/723;	Sun;
B2	051711	20000307	device package	20 // 000	257/777	Cheng-
D2	ŀ		structure and electrical		23,,,,,	Kuang et
			connection thereof			al.
US 6980378	USPAT	20051227	Image display	359/740	359/613	Lee;
B2		20031227	apparatus	33377.0	333,013	Cheng-
B2			apparatus			Kuang
US 6978191	USPAT	20051220	Overlay registration	700/213	430/30	Lin; Yo-
B2		20031220	control system and	, , , , , , , , , , , , , , , , , , ,		Nien et al.
.			method employing			
		.	multiple pilot lot in-	·		
			line overlay registration			1 .
			measurement			
US 6960905	USPAT	20051101	Time-sharing current	323/283		Chen;
B2	001711	20051101	sense circuit for a			Jiun-
102		.	multi-phase converter			Chiang et
			main phase converter			al.
US 6960512	USPAT	20051101	Method for	438/305	438/229;	Cheng;
B2			manufacturing a		438/303	Shui-
			semiconductor device	-		Ming et
		1	having an improved			al.
			disposable spacer			
US 6960497	USPAT	20051101	Method for forming pi-	438/149	438/151;	Huang;
B2			type assistant electrode		438/29;	Wen-
					438/30;	Rung et
			·		438/608;	al.
			1		438/609;	
					438/69	
US 6958249	USPAT	20051025	Method to monitor	438/18	438/11;	Tzeng;
B1			process charging effect		438/17	Jiann-
						Tyng et
:						al
US D510854	USPAT	20051025	Carabiner	D8/356	D3/207;	DiMarchi;
s					D8/370	Silvio
	ĺ		İ	·		Joseph et
		·				al.
US 6947196	USPAT	20050920	Trench-embedded	359/290	359/221;	Chen;
B2			mirror structure for		359/291;	Jiun Nan
:			double substrate spatial		438/52	et al.
			light modulator			
US 6946062	USPAT	20050920	Electropolish/grinding	204/224M	204/225;	Lin;
B2		1.	means for an inner		204/297.02;	Chun-

•

.

			surface of a long tube		335/220	Hung et
US 6936456 B1	USPAT	20050830	Bioremediation of nitrogenous contaminants	435/252.1		al.  Brodman; Bruce W. et al.
US 6932272 B1	USPAT	20050823	Micro bar code and recognition system and method thereof	235/462.01	235/454; 235/462.02	Liu; Yi- Pei et al.
US 6930398 B1	USPAT	20050816	Package structure for optical image sensing integrated circuits	257/782	257/729; 257/783; 257/794; 257/E23.192; 257/E31.097	Sun; Cheng- Kuang et al.
US D507871 S	USPAT	20050802	Receptacle	D3/215	D6/553	DiMarchi; Silvio Joseph et al.
US 6924238 B2	USPAT	20050802	Edge peeling improvement of low-k dielectric materials stack by adjusting EBR resistance	438/699	257/758; 257/760; 257/E21.244; 257/E21.246; 257/E21.252; 438/697	Chou; Tzu-Jen et al.
US 6924083 B2	USPAT	20050802	Mask layout and exposing method for reducing diffraction effects by using a single mask in the process of semiconductor production	430/296	430/394	Huang; Hao-Min et al.
US 6921681 B2	USPAT	20050726	Process for manufacturing photosensitive module	438/69	438/65; 438/66	Sun; Cheng- Kuang et al.
US 6919276 B2	USPAT	20050719	Method to reduce dishing and erosion in a CMP process	438/692	257/E21.583; 438/754	Lee; Shen-Nan et al.
US 6918763 B2	USPAT	20050719	Apparatus for detecting the stability of a tooth in the gum or an implant in the body	433/72	33/513; 600/552; 600/553; 600/590	Huang; Haw- Ming et al.
US 6900429 B1	USPAT	20050531	Image capture device	250/239	257/686	Bai; Jin- Chung et al.
US D505257 S	USPAT	20050524	Carabiner	D3/215	D3/208; D6/553; D8/356	DiMarchi; Silvio Joseph et al.
US D504767 S	USPAT	20050510	Carabiner	D3/215	D3/208; D6/553; D8/356	DiMarchi; Silvio Joseph et

						al.
US 6872573 B2	USPAT	20050329	Fluorescent creatinine assay	436/98	422/55; 422/56; 422/82.08; 436/108; 436/135; 436/164; 436/169; 436/172; 436/80; 436/800	Albarella; James P. et al.
US 6872114 B2	USPAT	20050329	Method of sealing organo electro-luminescent display	445/24		Chung; Chia-Tin et al.
US 6838826 B2	USPAT	20050104	Discharge electrode structure of plasma display panel	313/582	313/584	Lin; Chun-Hsu et al.
US 6836070 B2	USPAT	20041228	Organic electro- luminescent display and method of sealing the same	313/512		Chung; Chia-Tin et al.
US 6825330 B2	USPAT	20041130	Compositions and methods using platinum compounds for nucleic acid labeling	536/23.1	536/24.3; 536/26.6	Braman; Jeffrey et al.
US 6813165 B2	USPAT	20041102	Board-locking fastener for fastening a motherboard on a housing of a computer	361/801	361/726; 361/732; 361/740; 361/747; 361/759	Cheng; Kuang-Jui et al.
US 6812135 B2	USPAT	20041102	Adhesion enhancement between CVD dielectric and spin-on low-k silicate films	438/628	257/E21.26; 257/E21.269; 257/E21.277; 257/E21.279; 257/E21.293; 438/623; 438/624; 438/644; 438/763; 438/780; 438/781	Li; Lain- Jong et al.□
US 6808985 B1	USPAT	20041026	Products derived from embedded flash/EEPROM products	438/257	438/278	Lee; Kuei- Ying et al.
US 6803283 B1	USPAT	20041012	Method to code flashROM using LDD and source/drain implant	438/275	438/257	Chen; Jiun-Nan
US 6796337 B2	USPAT	20040928	Sizeless yarn, a method of making it and a	139/383R	428/221	Medeiros; Robert

			method of using it			Walter et al.
US 6781325 B2	USPAT	20040824	Circuit structure for driving a plurality of cold cathode fluorescent lamps	315/282	315/224; 315/291; 315/312; 315/DIG.7	Lee; Sheng Tai
US 6762755 B2	USPAT	20040713	Method and apparatus for creating and displaying interactive three dimensional computer images	345/419		Chen; Jiunn
US 6741532 B1	USPAT	20040525	Servo circuitry for counting tracks on an optical storage medium	369/44.28	369/44.34; 369/44.41	Graba; James Mark et
US 6737804 B2	USPAT	20040518	Barrier rib structure for plasma display panel	313/582	313/292; 313/584; 313/585; 313/586; 313/587	Kao; Hsu- Pin et al.
US 6720732 B2	USPAT	20040413	Barrier rib structure for plasma display panel	313/587	313/292; 313/495; 313/582	Kao; Hsu- Pin et al.
US 6690231 B1	USPAT	20040210	Gain stage that minimizes the miller effect	327/560	327/562	Lee; Sheng- Hann
US 6667948 B2	USPAT	20031223	Optical recording medium having ROM area and RAM area	369/275.2	369/275.3; 428/64.4	Chen; Yi- Ming et al.
US 6667649 B1	USPAT	20031223	Method and system for utilizing a high-performance mixer as a complete receiver	327/359	455/326	Lee; Sheng- Hann
US 6663394 B1	USPAT	20031216	Rivet attachment assembly for securing adapter card	439/564	411/522; 411/546; 439/377	Chung; Cheng- Kuang
US 6638328 B1	USPAT	20031028	Bimodal slurry system	51/309	106/3; 51/298; 51/307; 51/308	Lee; Shen-Nan et al.
US D478125 S	USPAT	20030805	Ball point pen	D19/50	D19/49; D19/56	Chen; Jiun-Feng
US 6566597 B2	USPAT	20030520	Shield assembly for computer enclosure and pressing machine for making it	174/35R	174/135; 174/35GC	Lee; Sheng Ching et al.
US 6566483 B2	USPAT	20030520	Photosensitive phosphorylated phenol-formaldehyde resin and method for preparing the same	528/129	528/167; 528/169; 528/174; 528/487	Cho; Ching- Sheng et al.
US 6553688	USPAT	20030429	Method for producing a	34/398	144/361;	Lee;

• •

B1			piece of timber including heartwood		144/380; 34/382; 34/396	Shen-Ba
US 6546609 B1	USPAT	20030415	Automatic riveting apparatus	29/243.53	269/60; 29/243.5; 29/251	Lee; Sheng Ching et al.
US D467476 S	USPAT	20021224	Gardening shear	D8/5		Lai; Mu- Chun et al.
US 6495967 B2	USPAT	20021217	Discharge cells between barrier walls of alternating current discharge type plasma display panel	315/169.4	313/584; 313/585; 315/169.1	Kao; Shiuh-Bin et al.
US 6483841 B1	USPAT	20021119	System and method for reducing capacity demand of ethernet switch controller	370/412	370/413; 370/419	Chang; Chung-Ju et al.
US 6446628 B1	USPAT	20020910	Water supply device for divers	128/200.24	128/200.25; 222/105; 222/175; 224/148.2; 224/414	Chen; Jiunn Liang
US 6413452 B1	USPAT	20020702	Method of making sizeless yarn	264/40.1	264/103; 264/211.14; 28/271; 73/160	Medeiros; Robert Walter et al.
US 6382945 B1	USPAT	20020507	Resin plunging apparatus for molding resin to seal an electronic device	425/116	425/129.1; 425/544; 425/594; 425/DIG.228	Chen; Li- Wei et al.
US 6351379 B1	USPAT	20020226	Extracting and positioning structure for hard disk drive	361/685	312/332.1; 361/726; 361/727	Cheng; Kuang Jui
US 6345806 B1	USPAT	20020212	Foot-actuated faucet	251/331	251/295	Chen; Jiun-Yan
US 6298949 B1	USPAT	20011009	Safety brake device for infant stroller	188/20	188/19; 280/658	Yang; Cheng- Fan et al.
US 6278116 B1	USPAT	20010821	Method of monitoring deep ultraviolet exposure system	250/365	250/548	Wu; Cheng- Kuan
US 6260867 B1	USPAT	20010717	Child walker	280/87.051	188/20; 280/33.994; 280/647; 280/650	Yang; Cheng- Fan et al.
US 6257839 B1	USPAT	20010710	Double screw rotor assembly with electrically controlled clearance adjustment means	417/283	418/107; 418/14; 418/194	Fang; Hong- Sheng et al.

US D444374	USPAT	20010703	Plastic locking device	D8/343	1	Lee;
S			for cam handle	20,2.5		Shen-
			·			Chih
US 6176694	USPAT	20010123	Double screw rotor	418/194		Fang;
B1			assembly			Hong-
			· .			Sheng et
	ļ.,				<u> </u>	al.
US 6172565	USPAT	20010109	Adaptive joint	330/151	330/149	Chen;
B1	,		linearization,	-		Jiunn- Tsair et
			equalization and delay alignment for a			al.
			wideband power			ai.
			amplifier			
US 6154093	USPAT	20001128	Fast adaptive wideband	330/151	330/149	Chen;
Α			power amplifier feed			Jiunn-
			forward linearizer			Tsair et
			using a RLS parameter			al.
			tracking algorithm		1 0 1 0	
US 6144710	USPAT	20001107	Joint maximum	375/346	370/337;	Chen;
A			likelihood sequence		375/231	Jiunn- Tsair et
			estimator with dynamic channel description			al.
US 6137251	USPAT	20001024	Brushless DC motor	318/439	318/138;	Huang;
A	OSIAI	20001024	controller with speed	310/137	318/254	Hao et al.
			control from zero to			
			above based speed			
US 6136234	USPAT	20001024	Process for fabricating	264/1.27	264/1.24;	Liu; Jui-
A			a gradient refractive-		264/1.36;	Hsiang et
	-		index plastic rod using		264/1.38;	al.
			centrifugal diffusing polymerization method		264/2.1	
US 6126838	USPAT	20001003	Method of wastewater	210/712	205/753;	Huang;
A A	USIAI	20001003	treatment by	210//12	205/755;	Yao-Hui
			electrolysis and	•	210/715;	et al.
		'	oxidization		210/717;	
			.		210/721;	
					210/724;	
					210/727;	
,	•	· [			210/748; 210/912	
US 6099963	USPAT	20000808	Sizeless yarn, a method	428/399	428/364;	Medeiros;
US 6099963 A	OSPAI	20000808	of making it and a	720/377	428/369	Robert
11		,	method of using it		1.20,500	Walter et
			' (			al.
US 6066419	USPAT	20000523	Method for monitoring	430/30		Wu;
Α			dosage/focus/leveling			Cheng-
						Kuan et
		2000000		0.55/222	0.57/0.22	al.
US 6028330	USPAT	20000222	CMOS sensor having a	257/229	257/233;	Lee;
A			structure to reduce		257/446; 257/461;	Sheng-Ti et al.
			white pixels		23//401;	et al.

US D415811 S	USPAT	19991026	Flipper	D21/806		Chen; Jiunn- Liang
US 5970600 A	USPAT	19991026	Method of making brushless DC permanent magnet stator windings	29/596	310/184; 310/208	Huang; Hao et al.
US 5963091 A	USPAT	19991005	Article comprising a power amplifier with feed forward linearizer using a RLS parameter tracking algorithm	330/151	330/149	Chen; Jiunn- Tsair et al.
US 5960232 A	USPAT	19990928	Method for controlling density in a printed image	399/55	399/270; 399/285	Cheng; Kuangti Ted
US 5951292 A	USPAT	19990914	Method of detecting periodontal disease by detecting the natural frequency of a tooth.	433/215	433/72; 600/589; 600/590	Lee; Sheng Yang et al.
US 5911445 A	USPAT	19990615	Hose coupling with safety locking means	285/84	285/312; 285/81; 285/85	Lee; Shen- Chih
US 5904380 A	USPAT	19990518	Pipe joint	285/312	285/38	Lee; Shen- Chih
US 5899017 A	USPAT	19990504	Fishing device	43/100		Chen; Jiunn- Liang
US 5885783 A	USPAT	19990323	Autoimmune inner ear disease antigen and diagnostic assay	435/7.1	435/7.92; 435/810; 435/960; 436/506; 530/326; 530/350	Yoo; Tai- June et al.
US 5831331 A	USPAT	19981103	Self-shielding inductor for multi-layer semiconductor integrated circuits	257/659	257/277; 257/531; 257/532; 257/665; 257/E21.022	Lee; Sheng- Hann
US 5797769 A	USPAT	19980825	Electrical connector with boardlock	439/571	439/567	Yang; Tsung- Lin et al.
US 5784178 A	USPAT	19980721	High performance contact image sensor	358/482	250/208.1; 358/483	Tsai; Yong- Song et al.
US 5733653 A	USPAT	19980331	Ultra-oriented crystalline filaments and method of making same	428/364	428/395	Cuculo; John A. et al.
US 5727441 A	USPAT	19980317	Valve plate structure of an axial plunger pump	91/6.5		Fu; Chiun Lern et al.

.

ì

US 5709478 A	USPAT	19980120	Drinking device for divers	383/80	128/202.15; 215/11.3; 215/389; 220/709	Chen; Jiunn- Liang
US 5698723 A	USPAT	19971216	Process for the preparation of bistriphenylsilyl chromate	556/10 ·	502/158; 556/12; 556/57	Dai; Longxiu et al.
US 5677580 A	USPAT	19971014	Transversal-flux permanent magnet motor	310/44	310/194; 310/254; 310/266	Huang; Hao
US 5658885 A	USPAT	19970819	Amidino and guanidino substituted boronic acid inhibitors of trypsin-like enzymes	514/19	514/13; 514/14; 514/15; 514/16; 514/17; 514/18; 530/326; 530/327; 530/328; 530/329; 530/330;	Lee; Sheng- Lian O. et al.
US 5634780 A	USPAT	19970603	Hand pump of a drinking device for	417/553	530/331; 562/560 128/202.15; 222/341;	Chen; Jiunn L.
	·		pumping water to a diver		222/383.1; 405/186; 417/556	
US 5598074 A	USPAT	19970128	Virtual hall-effect signal generating for a brushless sensorless electrical rotary machine	318/439	318/254	Huang; Hao
US 5592731 A	USPAT	19970114	Method of constructing a stator	29/596		Huang; Hao et al
US 5532561 A	USPAT	19960702	Virtual hall-effect signal generating for a brushless sensorless electrical rotary machine	318/439	318/254	Huang; Hao
US 5524612 A	USPAT	19960611	Drinking device for divers	128/202.15	128/200.29; 128/201.11	Chen; Jiunn- Liang
US 5514202 A	USPAT	19960507	Method for producing fine silver-palladium alloy powder	75/351	75/371	Lin; Jing Chie et a
US 5500545 A	USPAT	19960319	Double switching field effect transistor and method of manufacturing it	257/341	257/350; 257/401; 257/E29.275; 257/E29.299; 438/142;	Cheng; Kuang- Chung et al.

			^ -			
					438/174; 438/176; 438/188; 438/958	·
US 5469247 A	USPAT	19951121	Toned member cleaning by electrified roller	399/350	399/346; 399/357	Cheng; Kuangti T. et al.
US 5469033 A	USPAT	19951121	Virtual hall-effect signal generating for a brushless sensorless electrical rotary machine	318/439	318/254	Huang; Hao
US 5413617 A	USPAT	19950509	Process for the preparation of silver powder with a controlled surface area by reduction reaction	75/371	75/741	Lin; Jing- Chie et al.
US 5412459 A	USPAT	19950502	Imaging apparatus with paper preconditioning for transfer	399/296	399/307	Borsuk; John E. et al.
US 5412355 A	USPAT	19950502	Resonant balun with arbitrary impedance	333/124	333/25; 333/32	Lee; Sheng- Hann
US 5384016 A	USPAT	19950124	Process for recovering tungsten carbide from cemented tungsten carbide scraps by selective electrolysis	205/478		Lin; Jing- Chie et al.
US 5382859 A	USPAT	19950117	Stator and method of constructing same for high power density electric motors and generators	310/216	310/218; 310/254; 310/259; 310/42	Huang; Hao et al.
US 5354965 A	USPAT	19941011	Window cleaning fluid heating system having timer-controlled heater and differential input circuit	219/202	15/250.05; 219/492; 219/505; 219/530; 219/540; 222/146.5; 239/284.1; 239/284.2; 392/441; 392/458; 392/480; 392/484	Lee; Sheng- Hann
US 5343525 A	USPAT	19940830	Hard disk data security device	713/193	340/5.74; 713/189	Hung; Chan-Chi et al.
US 5319844 A	USPAT	19940614	Method of making an electromagnetic transducer	29/598	29/605; 29/606; 29/608	Huang; Hao et al.
US 5268960	USPAT	19931207	Write protection device	726/26	360/60;	Hung;

A			for computer hard disk		360/69; 713/189	Chan-Chi et al.
US D339232 S	USPAT	19930914	Briefcase	D3/292	,	Chen; Jiun- Chung
US 5205015 A	USPAT	19930427	Door hinge with automatic returning means	16/50	16/297; 16/303; 16/307; 16/319	Huang; Hao-Tang
US 5124681 A	USPAT	19920623	Winding construction for a transformer	336/190	29/605; 336/206; 336/220	Chen; Jiunn- Shyong
US 5115539 A	USPAT	19920526	Braking and wheel- orienting mechanism for a four-wheeled trolley	16/35R	188/1.12	Lee; Sheng- Hwa
US D324308 S	USPAT	19920303	Briefcase	D3/282	D3/900	Chen; Jiun- Chung
US 5088785 A	USPAT	19920218	Volume-changeable van compartment	296/26.05	296/175; 296/36	Lee; Shenq- Hwa
US 5086283 A	USPAT	19920204	Dipole transducer array for bulk acoustic wave delay device	333/149	310/366	Lee; Sheng- Hann
US 5011022 A	USPAT	19910430	Cyclic flow slurry fractionation	209/155	209/209; 210/258; 210/513; 210/800	Palepu; Prakash T. et al.
US 4995615 A	USPAT	19910226	Method and apparatus for performing fair card play	463/12	·	Cheng; Kuan H.
US 4902574 A	USPAT	19900220	Methods of using fluoroepoxy compounds as adhesives for fluoroplastic adherends and products made therefrom	428/422	427/207.1; 428/413; 428/414	Lee; Sheng Y.
US 4886584 A	USPAT	19891212	Potential measuring method and apparatus having signal amplifying multiple membrane electrode	205/787.5	204/406; 204/412; 205/789	Cheng; Kuang L.
US 4843123 A	USPAT	19890627	Cellular thermosetting fluorodiepoxide polymers	521/178	521/145; 521/189; 521/82; 521/97; 521/98	Lee; Sheng Y.
US 4731211 A	USPAT	19880315	Cellular thermosetting fluoropolymers and process for making	264/50	264/DIG.64; 425/4R	Lee; Sheng Y.

			them			
US 4362769 A	USPAT	19821207	Method of neutralizing the corrosive surface of amine-cured epoxy resins	427/322	427/340; 427/352; 427/400; 427/407.1	Lee; Sheng Y.
US 4202514 A	USPAT	19800513	Hydraulic jack device	254/93H	92/5R	Chen; Cheng- Kuan
US 4071427 A	USPAT	19780131	Arsenite electrode	204/419		Cheng; Kuang Lu et al.
					•	

•